



## Acetaminophen (Tylenol) Dosing Chart

Weight (Pounds)	Dose	Liquid Suspension or Elixir 160 mg/5 ml	Chewable Tablets 80 mg each	Junior Strength Tablets/Capsules 160 mg	Regular Strength Tablets/Capsules 325 mg each
12-17	80 mg	2.5 ml	1 tablet	N/A	
18-23	120 mg	3.75 ml	1 ½ tablets	N/A	
24-35	160 mg	5 ml	2 tablets	1 tablet or capsule	
36-47	240 mg	7.5 ml	3 tablets	1 ½ tablet or capsule	
48-59	320 mg	10 ml	4 tablets	2 tablets or capsules	1 tablets or capsules
60-71	400 mg	12.5 ml	5 tablets	2 ½ tablets or capsules	1 tablets or capsules
72-95	480 mg	15 ml	6 tablets	3 tablets or capsules	1 tablets or capsules
>95	650 mg	20 ml	8 tablets	4 tablets or capsules	2 tablets or capsules

*\*Tylenol should not be given to infants under three (3) months of age, unless recommended by their physician.*

*\*Acetaminophen may be given at intervals of every 4-6 hours*

## Ibuprofen (Motrin/Advil) Dosing Chart

Weight (Pounds)	Dose	Infants Oral Drops 50 mg/1.25 ml	Liquid Suspension or Elixir 100 mg/5 ml	Junior Strength Chewable Tablets/Capsules 100 mg each	Regular Strength Tablets/Capsules 200 mg each
12-17	50 mg	1.25 ml	2.5 ml		
18-21	75 mg	1.875 ml	3.75 ml		
22-32	100 mg	2.5 ml	5 ml	1 tablet or capsule	
33-43	150 mg	3.75 ml	7.5 ml	1 ½ tablet or capsule	
44-54	200 mg	5 ml	10 ml	2 tablets or capsules	1 tablets or capsules
55-65	250 mg		12.5 ml	2 ½ tablets or capsules	1 tablets or capsules
66-76	300 mg		15 ml	3 tablets or capsules	1 tablets or capsules
77-87	350 mg		17.5 ml	3 ½ tablets or capsules	2 tablets or capsules
88-132	400 mg		20 ml	4 tablets or capsules	2 tablets or capsules
>132	600 mg		30 ml	6 tablets or capsules	3 tablets or capsules

*\*Ibuprofen should not be given to infants under six (6) months of age, unless recommended by their physician.*

*\*Ibuprofen may be given at intervals of every 6-8 hours*