

# Acetaminophen & Ibuprofen Dosing Charts

## Acetaminophen

- **Dose: Administer every 4 to 6 hours. Maximum 5 doses in 24 hours.**
- **Also available in rectal suppositories (FeverAll®) for infants over 6 months; dosages available on box**

ACETAMINOPHEN (TYLENOL)	LIQUID SUSPENSION 160mg/5ml	SOFT CHEWS 80mg each	JUNIOR CHEWABLE 160mg each	REGULAR STRENGTH 325mg each	EXTRA STRENGTH 500mg each
weight (lbs)	Amount (mls)	tablet	tablet	tablet	tablet
6-11 lbs	1.25ml				
12-17 lbs	2.5ml				
18-23 lbs	3.75ml	1 1/2			
24-35 lbs	5ml	2	1		
36-47 lbs	7.5 ml	3	1 ½		
48-59 lbs	10 ml	4	2	1	
60-71 lbs	12.5 ml	5	2 ½	1	
72-95 lbs	15 ml	6	3	1 ½	
96 lbs+	20 ml	8	4	2	1

## Ibuprofen

- **ONLY use after 6 months of age. Dose: Administer every 6 to 8 hours. Maximum 4 doses in 24 hrs.**

IBUPROFIN (MONTRIN, ADVIL) 6 months +	CONCENTRATED DROPS 50mg/1.25ml	LIQUID SUSPENSION 100mg/5ml	CHEWABLE TABLETS 50mg each	JUNIOR STRENGTH 100mg each	REGULAR STRENGTH 200mg each
weight (lbs)	provided dropper	Amount (mls)	tablet	tablet	tablet
12-17 lbs	1 = 1.25ml	2.5 ml			
18-23 lbs	1 ½ = 1.875ml	3.75 ml			
24-35 lbs	2	5 ml	2		
36-47 lbs	3	7.5 ml	3		
48-59 lbs	4	10 ml	4	2	1
60-71 lbs	5	12.5 ml	5	2 ½	1
72-95 lbs		15 ml	6	3	1 ½
96 lbs +		20 ml	8	4	2