

Post Treatment

- Some redness and edema may be present after therapy
- Moisturizers are encouraged following therapy along with SUN SCREEN use everyday
- If crusting or blisters, then Vaseline ointment 4 + x 's per day and no make up....
- May repeat every one to two months based on need
- Typically 3 sessions are needed for significant tightening but may be continued if continuing to see progress.

Interval

Under most cases, a month break between therapy is advised to allow for collagen stimulation.

ReFirme™ Syneron®

Information

<http://syneron-candela.com/na/treatment/refirme>
<http://syneron-candela.com/na/treatment/photo-rejuvenation-pigmentation-treatment/FAQ>
<http://syneron-candela.com/na/product/emax>
<http://syneron-candela.com/na>

ST and VENUS LEGACY and Non-ablative 1540 cynosure laser

Can all be used in combination

ST (monotherapy)

(standalone ST)

FACE: \$675 /3 PACK

FACE AND NECK: \$1000/3pack

EYE - Periocular: \$550 /3pack

HANDS: \$500 /3pack

MOUTH - Perioral: \$500 /3pack

STRETCH MARKS - Striae:

- <2cm \$100/session
- <5cm \$150/session
- <10cm \$250/session
- 10-30cm sq: \$300/session

SR or SRA prior to ST

FACE: \$950 / 3 pk (SR&ST same day)

FACE and NECK: \$1,300 / 3 pk (SR&ST same day)

EYE-Periocular: \$800/3 pk SR&ST same day

Stretch Marks with marked vascular component (SR & ST same day)

< 2 cm \$150/session

< 5cm \$200/session

< 10 cm \$300/session

10-30cm sq: \$350/session

Greater Des Moines Dermatology

2424, 128th st, Urbandale, Iowa 50323

Phone515-243-8676 Fax515 243-0487

www.greaterdesmoinesdermatology.com

like us on www.facebook.com

Like us: www.healthgrades.com

Like us: www.vitals.com



gdmdermatology



SKIN TIGHTENING

ReFirme™ (ST) Therapy

May be used immediately following SR or SRA therapy if pigment/vascular therapy needed in addition to tightening
** May be used in concert with Venus Legacy™ for difficult areas of the lip or forehead.**

Greater Des Moines Dermatology PC

Timothy Abrahamson MD 08/2018

The FDA-approved ReFirme™ ST Applicator from Syneron® offers a non-ablative option for skin tightening. Conventional skin tightening treatments are time- and treatment-intensive and often too painful for many patients. With the ReFirme ST therapy, you can have tight, firmer skin without surgery. ReFirme™ is ideal for targeting those telltale signs of aging, including, jowl and neck laxity, sagging under the eyes, saggy brow lines, stretch marks, and nasolabial folds

The ReFirme™ ST procedure combines safe and effective levels of infrared light and bipolar radiofrequency energies to remodel the dermal layer of the skin by stimulating new collagen growth. Both laser and radiofrequency have been used separately for decades in medicine and surgery, but the **ST** exclusively combines infrared light and bipolar radio-frequency energy for ideal treatment outcomes with a very low risk of side effects and virtually no down-time. Fine wrinkles are reduced, noticeable lifting can be observed and the texture of your skin becomes smoother, more luminous and toned.

elōs Increased Safety & Satisfaction

- Safe and effective industry-leading medical aesthetic technology
- Significantly less energy required compared to conventional lasers and IPL

- Features Active Dermal Monitoring™ and electrode contact check

Minimal to no downtime

- Most people experience no side effects, though a few may exhibit some short-term local reddening should be expected
- elōs advantages translate to enhanced patient comfort, convenience, & satisfaction
- Patient can wear cosmetics immediately
- Patient can return to work and activities

Areas of emphasis:

- Perioral lines (marionette and “smoker” lines)
- Periocular (wrinkles and dusky hue)
- Abdomen (striae, stretch marks)
- Neck (jowels, loose skin)
- Hand loose skin
- Crows feet
- Stretch marks/Striae

Optimal Pain Control

LMX, Lidoworx, and other OTC 2-4% lidocaine ointment can be obtained from your local pharmacy. **EMLA generic** can be called in. Started at least 30 minutes before every 10 minutes thinly.

Pre-Treatment

- Topical anesthetics may be used pre-treatment
- These include LMX, Lidoworx, and other OTC 2% lidocaine ointments.
- If using, you should apply at least 30, 20, and 10 minutes before arrival to appointment to the planned treatment site.
- Your local pharmacy should have one of these options.
- We can also call in **Generic EMLA**

Treatment

- You will feel a mild snapping feeling (like a rubber band) with treatment if topical anesthesia is not used.
- You will wear protective shields during therapy but the sensation of the visual flash will still occur.

VENUS LEGACY

For many areas, the VENUS LEGACY is more powerful. However, some areas of the lips and temples or forehead may need ST therapy if resistant to LEGACY THERAPY heat tolerance.

Cynosure 1540

This non-ablative laser help improve skin changes including scarring without downtime.