

Appt:			
	Colonoscopy	□ Colonoscopy / EGD	☐ Flexible Sigmoidoscopy
			ates Endoscopy Center stwood Dr Wausau
	Center will ca	all you with the new time.	If this time changes, our Endoscopy If you have a question about your arrival time or need to at 715-847-2558 or 877-442-7762.
			au Hospital - Surgery (Hospital B entrance) 3 Pine Ridge Blvd Wausau
	Please pre-re	egister by calling <b>715-847</b>	<b>'-2175</b> or <b>800-477-4496</b>
	to confirm yo	ur arrival time. If you have	SS) will contact you two business days before your procedure we not received this call by 2:00pm the business day prior to 215-847-2799 or 877-350-2197.
			Point Campus – Hospital Outpatient Vern Holmes Dr Stevens Point
	accurate arriv		act you 1-2 days prior to your procedure to give you an received this call by 2:00pm the business day prior to your tient at <b>715-342-1015</b> .
			~
		□Asp	pirus Langlade Hospital 112 East 5 <sup>th</sup> Ave Antigo
	The business	egister by calling <b>715-623</b> s day before your procedu <b>8</b> to confirm your arrival t	8-9220. ure, between 1pm and 5pm, please call <b>715-623-9251</b> or
			hwoods Surgery Center  11 Veterans Pky Woodruff
	your procedu	ıre to give you an accur y prior to your procedu	. The Surgery Center will contact you prior to ate arrival time. If you have not received this call by the re, please contact the Surgery Center at <b>715-358-8600</b>
		□Ascension St	. Mary's Hospital Surgery Services
		2251	North Shore Dr Rhinelander
	Your arrival t reschedule, o	ime iscontact the GI Associates	If you have a question about your arrival time or need to office at <b>715-847-2558</b> or <b>877-442-7762</b> .

04/2020



## These instructions are very important. If they are not followed closely, your procedure may have to be postponed.



#### 1 Week Before Your Procedure

#### Arrange for a Patient Representative:

You **CANNOT** drive yourself home after your procedure. You must make arrangements to have a patient representative (18 years or older) take you home. You will <u>not</u> be allowed to take a taxi, bus, medi-van service or walk home. You and your representative should allow approximately **2-3 hours total time** at the facility.

#### **Review Your Prep Instructions:**

Review the following colonoscopy prep and medication instructions. If you have an Advance Directive, please locate a copy and prepare to bring the copy with you to your procedure.

#### **Review Your Coverages:**

You are responsible for contacting your insurance carrier to understand your benefits, verify your pre-certification or pre-authorization requirements and payment obligations.

5 Days Before Your Procedure:
You may continue all prescription medications and/or supplements except for those listed OR modified below:
□ Aspirin: Decrease to 81 mg baby aspirin □ Iron: Stop taking
2 Days Before Your Procedure:
NO RED MEAT. (e.g. NO beef, pork or venison). Chicken or fish is OK.
Stop eating seeds, popcorn, nuts, corn and whole grains or high fiber cereals.
Stop taking any fiber supplements (e.g. NO fiber pills, powders or wafers).
Drink extra clear liquids (see back page for list)
Addtnl Instructions:
□ 8:00 p.m. Drink 10-ounce bottle of magnesium citrate

04/2020

## 1 Day Before Your Procedure:

## NO SOLID FOOD TODAY - CLEAR LIQUIDS ONLY

It is very important to drink plenty of water and other clear liquids throughout the day in order to avoid dehydration and to flush the bowel. (Although alcohol is a clear liquid, it can make you dehydrated.

You should NOT drink alcohol while preparing for your procedure.)

1:00 p.m. Drink at least 12 ounces of clear liquids
2:00 p.m. Drink at least 12 ounces of clear liquids
3:00 p.m. Drink at least 12 ounces of clear liquids

#### \* \* \* NO RED OR PURPLE PRODUCTS \* \* \*

3:00 p.m. Take 2 Dulcolax (bisacodyl) tablets. DO NOT CHEW.

5:00 p.m. Mix the entire 238-gram bottle of MiraLAX with 64 ounces of your chosen sports drink(s). Drink ½ of the mixture (32 ounces) over the next hour. (For example: An 8-ounce glass every 15 minutes.)

NOTE: Please stay home once you have started your prep. Also, the use of moist towelettes or wipes may help to minimize discomfort during the colonoscopy prep. A nonprescription 1% hydrocortisone cream may also be soothing when applied to the rectal area after each bowel movement.

Store the remainder of the solution in the refrigerator and continue to maintain a clear liquid diet. Drink at least 16-24 ounces of clear liquids through the rest of the evening.

☐ Take ½ dose of your regular evening diabetic medication(s).

-OR-

Contact your PCP or endocrinologist for advisement.

With the exception of any blood thinners or diabetic medications already addressed, you may take your regular, evening medications.

It is common during the prep to experience some nausea, bloating, and/or abdominal distention. If you chilled the prep prior to drinking it, you could experience chills from consuming so much cold liquid in a short time period. If you develop nausea or vomiting, slow down the rate at which you drink the solution.

Please attempt to drink all of the laxative solution even if it takes you longer.

### If your arrival time is scheduled between 6 a.m. and 9 a.m.:

**10:00 p.m.** Finish drinking the rest of the prep solution over the next hour, until the solution is gone. You may continue to drink clear liquids until the time indicated on the following page (option **#1**).

If your arrival time is scheduled after 9 a.m.: See the next page, (option #2).

You	r Procedur	e Day:	
Pleas	e refrain from ι	sing tobacco products today.	
		Do not take any diabetic medication(s) this morning.  - OR - Contact your PCP or endocrinologist for advisement. (Your blood sugar level will be checked upon arrival for procedure).	
		any blood thinners or diabetic medications already addressed, you may take any cription medications with small sips of water.)	
#1	If your arrival time is scheduled between 6 a.m. and 9 a.m.:		
#2	Then <u>nothing t</u> procedure!	two hours prior to your scheduled arrival time), stop drinking clear liquids.  o drink or eat and no hard candy, cough drops or gum until after your  ime is scheduled after 9 a.m.:	
	solution over the	(three hours prior to your scheduled <b>arrival</b> time), finish drinking the rest of the preper next hour, until the solution is gone. Then nothing to drink or eat and no hard drops or gum until after your procedure!	

The end result should be a yellow-green liquid stool. Make note of the color of your last bowel movement, as the admitting nurse will ask you for this information upon your arrival. If you are not adequately prepped, you may receive an enema upon arrival for your procedure.

#### Arrival:

Please arrive promptly at your designated arrival time. (Note: Upon arrival, a urine pregnancy test will be recommended for every woman of child-bearing age.)

Please bring a detailed list of all medications you are currently taking (including vitamins and over-the-counter medications) with you on the day of your procedure. If you have an Advance Directive, please bring a copy with you.

Please do not bring valuables to your appointment or wear excessive jewelry. Remove any body piercings. Please note, you may be asked to remove any dentures/removable bridges prior to being sedated for your procedure.

Please notify the nurse or your doctor if you plan to leave town or go on vacation soon after your procedure.

#### PLEASE READ CAREFULLY

#### **Upon your arrival:**

Because you will be receiving sedation, you must have a PATIENT REPRESENTATIVE with you prior to the start of the procedure and your PATIENT REPRESENTATIVE must remain in the waiting room until you are ready to be discharged.

#### **During your procedure:**

Once you begin to receive sedation medications, you are impaired and are unable to make even simple decisions for yourself.

If questions arise or if a complication occurs during the procedure, the physician (or nurse) may need to speak with your **PATIENT REPRESENTATIVE** immediately.

04/2020

#### After your procedure:

Prior to discharge, you will receive information for post-procedure care, how to contact your physician, if needed, and a summary of your procedure findings.

Since patients who receive sedation may remain memory-impaired for some time after the procedure, your **PATIENT REPRESENTATIVE** will need to witness the discussion with the physician post-procedure so that they are able to provide direction to you once you have arrived at home.

# IF YOU DO NOT HAVE A PATIENT REPRESENTATIVE WITH YOU, YOUR PROCEDURE WILL BE POSTPONED

**IMPORTANT NOTE**: Due to space limitations, and for the privacy of all patients, only one visitor will be allowed to come in and sit with you after your procedure. If you bring children with you, they will be asked to stay in the waiting room with another adult.

If you have any questions before or after the procedure, please call our office at 715-847-2558 or 877-442-7762.

## **CLEAR LIQUID DIET**

#### **No Red or Purple**



Ensure or Boost (without fiber) -You may have a total of three cans BEFORE drinking prep solution

#### **Colonoscopy Prep Shopping List:**



Purchase the following items at your local pharmacy and/or grocery:

☐ Magnesium citrate

10-ounce bottle (1)



☐ Dulcolax® laxative tablets (bisacodyl)

5-mg tablets (2)





☐ MiraLAX® (polyethylene glycol 3350)
238-gram bottle (1)





- ☐ 64 ounces of a sports drink NO RED OR PURPLE
  - Gatorade® or Powerade®
  - G2® or Powerade Zero™
  - Propel® Electrolyte Water

