

# Dosing On Call

Dosing for infants and children from your healthcare professional

**DOSE: Every 4 hours as needed. DO NOT GIVE MORE THAN 5 DOSES IN 24 HOURS.**

If possible, use weight to dose; otherwise, use age.

mL = milliliter







Use only as directed.

## Infants' TYLENOL® Oral Suspension

**Active ingredient:** Acetaminophen 160 mg (in each 5 mL)

**Available in:**  Grape  Cherry  
 Dye-Free Cherry

WEIGHT	6-11 lbs	12-17 lbs	18-23 lbs	24-35 lbs
AGE	0-3 months	4-11 months	12-23 months	2-3 years
DOSE	1.25 mL 	2.5 mL 	3.75 mL 	5 mL 

mL = milliliter








Use only as directed.

## Children's TYLENOL® Oral Suspension

**Active ingredient:** Acetaminophen 160 mg (in each 5 mL)

**Available in:**  Grape  Bubblegum  
 Cherry  Dye-Free Cherry  
 Strawberry

WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs
AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years
DOSE	5 mL 	7.5 mL 	10 mL 	12.5 mL 	15 mL 

## Children's TYLENOL® Chewables






**Active ingredient:** Acetaminophen 160 mg (in each tablet)

**Available in:**  Grape  Bubblegum

**NOW AVAILABLE!**



Use only as directed.

WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs
AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years
DOSE	1 tablet 	1½ tablets 	2 tablets 	2½ tablets 	3 tablets 

All infants' TYLENOL® and Children's TYLENOL® products have the same strength of acetaminophen: **160 mg** (in each 5 mL or tablet).

## IMPORTANT INSTRUCTIONS FOR PROPER USE

Today's date: \_\_\_\_\_

This dosing recommendation from your healthcare professional will expire in **14 DAYS**.

- Always read and follow the label on all TYLENOL® products.
- Repeat dose **every 4 hours** while symptoms last.
- Do **NOT** give more than **5 doses in 24 hours**.
- Do **NOT** use with any other product containing acetaminophen.
- Use only the dosing device (syringe or dosing cup) that came with the product. Do not use any other dosing device.

Motrin  TYLENOL

# Dosing On Call

Dosing for infants and children from your healthcare professional

**DOSE: Every 6-8 hours as needed. DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.**

If possible, use weight to dose; otherwise, use age.

mL = milliliter

## Infants' MOTRIN® Concentrated Drops



**Active ingredient:** Ibuprofen (NSAID)\* 50 mg (in each 1.25 mL)

\*Nonsteroidal anti-inflammatory drug

Available in:  Berry  Dye-Free Berry



Use only as directed.

WEIGHT	12-17 lbs	18-23 lbs
AGE	6-11 months	12-23 months
DOSE	1.25 mL 	1.875 mL 

mL = milliliter

## Children's MOTRIN® Oral Suspension






**Active ingredient:** Ibuprofen (NSAID)\* 100 mg (in each 5 mL)

\*Nonsteroidal anti-inflammatory drug

Available in:  Grape  Bubble Gum  
 Berry  Dye-Free Berry



Use only as directed.

WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs
AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years
DOSE	5 mL 	7.5 mL 	10 mL 	12.5 mL 	15 mL 

## IMPORTANT INSTRUCTIONS FOR PROPER USE


Today's date: \_\_\_\_\_

This dosing recommendation from your healthcare professional will expire in **14 DAYS**.

- Always read and follow the label on all MOTRIN® products.
- Repeat dose **every 6-8 hours** as needed.
- Do **NOT** give more than **4 doses in 24 hours**.
- Use only the dosing device (syringe or dosing cup) that came with the product. Do not use any other dosing device.

Be sure to keep **TYLENOL®** and **MOTRIN®** on hand for pain and fever *relief* that's

# Always On Call



## Download FREE Kids' Wellness Tracker

Track your child's height, weight, BMI, vaccines, symptoms, and medicines, plus dosing information



App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. Standard download rates may apply.