

Dr. Robert Koch Dr. Scott Applegate 4230 Pioneer Woods Drive Lincoln, NE 68506 402.488.7337

ACETAMINOPHEN DOSAGE CHART

- The proper dosage for your child is based on weight.
- Do not give to a baby under 3 months old without your doctor's approval.
- Always use the measuring device that comes with the medicine, not a spoon from the kitchen.
- Don't confuse infant drops with children's liquid. Infant drops come with a dropper and are much more concentrated. The infant drops have been discontinued but may still be in your home.
- Do not exceed five doses in 24 hours.

Child's Weight: 6 to 11 pounds Dose: 40 mg Old infant drops: 1/2 dropper (0.4ml) New infant liquid: 1.25 ml in syringe	Child's Weight: 12 to 17 pounds Dose: 80 mg Old infant drops: 1 dropper (0.8ml) New infant liquid: 2.5 ml in syringe Children's liquid: ½ teaspoon (2.5 ml in cup)
Child's Weight: 18 to 23 pounds	Child's Weight: 24 to 35 pounds
Dose: 120 mg	Dose: 160 mg
Old infant drops: 1 ½ dropper (1.2ml)	Old infant drops: 2 dropper (1.6 ml)
New infant liquid: 3.75 ml in syringe	New infant liquid: 5 ml in syringe
Children's liquid: 3/4 teaspoon (3.75 ml in cup)	Children's liquid: 1 teaspoon (5 ml in cup)
Children's chews or meltaways: 1 1/2	Children's chews or meltaways: 2
	Jr. Strength chews or meltaways: 1

IBUPROPHEN DOSAGE CHART

- The proper dosage for your child is based on weight.
- Do not give to a baby under 6 months old without your doctor's approval.
- Always use the measuring device that comes with the medicine, not a spoon from the kitchen.
- Don't confuse infant drops with children's liquid. Infant drops come with a dropper and are much more concentrated.
- You can repeat the dose every 6 to 8 hours. Do not exceed four doses in 24 hours.

Child's Weight: less than 12 pounds	Child's Weight: 12 to 17 pounds
Dose:	Dose: 50 mg
Do <u>NOT</u> give Ibuprofen unless you have the doctors approval.	Infant drops: 1 droppers OR 2/3 syringe (1.25ml) Children's liquid: ½ teaspoon
Child's Weight: 18 to 23 pounds	Child's Weight: 24 to 35 pounds
Dose: 75 mg	Dose: 100 mg
Infant drops:1 ½ droppers OR 1 syringe	Infant drops: 2droppers OR 1 1/3 syringe (2.5ml)
(1.875ml)	Children's liquid: 1 teaspoon
Children's liquid: ¾ teaspoon	