



### KNOWLEDGE • RESOURCES • TRAINING

# **ANNUAL WELLNESS VISIT**



Target Audience: Medicare Fee-For-Service Providers

The Hyperlink Table, at the end of this document, provides the complete URL for each hyperlink.

## Medicare Coverage of Physical Exams—Know the Differences

#### Initial Preventive Physical Examination (IPPE)

Review of medical and social health history, and preventive services education

- Covered only once, within 12 months of Part B enrollment
- Patient pays nothing (if provider accepts assignment)

#### Annual Wellness Visit (AWV)

Visit to develop or update a personalized prevention plan, and perform a health risk assessment

- Covered once every 12 months
- Patient pays nothing (if provider accepts assignment)

#### Routine Physical Examination (See Section 90)

Exam performed without relationship to treatment or diagnosis for a specific illness, symptom, complaint, or injury

- Not covered by Medicare; prohibited by statute
  - Patient pays 100% out-of-pocket

CPT codes, descriptions and other data only are copyright 2018 American Medical Association. All Rights Reserved. Applicable FARS/HHSAR apply. CPT is a registered trademark of the American Medical Association. Applicable FARS/HHSAR Restrictions Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.



# TABLE OF CONTENTS

| Health Risk Assessment (HRA)   | 3  |
|--|----|
| Initial AWV Components: Applies the First Time a Beneficiary Receives an AWV   | 4  |
| Subsequent AWV Components: Applies for all Subsequent AWVs After a Beneficiary's First AWV   | 7  |
| AWV Coding, Diagnosis, and Billing   | 9  |
| Coding   | 9  |
| Diagnosis  | 9  |
| Billing  | 9  |
| Advance Care Planning (ACP) as an Optional Element of an AWV   | 10 |
| Coding   | 10 |
| Diagnosis  | 10 |
| Billing  | 11 |
| Frequently Asked Questions (FAQs)  | 12 |
| What are the other Medicare Part B preventive services?  | 12 |
| Who is eligible for the AWV?   | 13 |
| Is the AWV the same as a beneficiary's yearly physical?  | 13 |
| Are clinical laboratory tests part of the AWV?   | 13 |
| Do deductible or coinsurance/copayment apply for the AWV?  | 13 |
| Can I bill an electrocardiogram (EKG) and the AWV on the same date of service?   | 13 |
| How do I know if a beneficiary already got his/her first AWV from another provider and<br>know whether to bill for a subsequent AWV even though this is the first AWV I provided to<br>this beneficiary? | 13 |
| Resources  | 14 |



Medicare covers an AWV providing Personalized Prevention Plan Services (PPPS) for beneficiaries who:

- Are no longer within 12 months after the beneficiary's eligibility date for Medicare Part B benefits
- Have not received an IPPE or AWV within the past 12 months

This booklet is divided into two sections: the first explains the elements of a beneficiary's initial AWV; the second explains the elements of all subsequent AWVs. You must provide all elements of the AWV prior to submitting a claim for the AWV.

**NOTE:** The AWV is a separate service from the IPPE. For more information about the IPPE, refer to the Medicare Learning Network's® (MLN's) Initial Preventive Physical Examination fact sheet.

#### COMMUNICATION AVOIDS CONFUSION

As a health care provider, you may recommend patients get services more often than Medicare covers, including through the AWV, or you may recommend services that Medicare doesn't cover. If this happens, please ensure patients understand they may have to pay some or all of the costs. Communication is key, so patients understand why you are recommending certain services and whether Medicare pays for them.

# HEALTH RISK ASSESSMENT (HRA)

The AWV includes a Health Risk Assessment (HRA). The following tables include a summary of the minimum elements in the HRA. Refer to the Centers for Disease Control and Prevention's (CDC's) A Framework for Patient-Centered Health Risk Assessments for more information, including:

- HRA use and follow-up interventions that evidence suggests can influence health behaviors
- The definition of the HRA framework and rationale for its use
- The history of HRAs
- A sample HRA



# INITIAL AWV COMPONENTS: APPLIES THE FIRST TIME A BENEFICIARY RECEIVES AN AWV

| Action                                      | Elements   |
|---|--|
| 1. Perform an HRA                           | Get self-reported information from the beneficiary   |
|   | <ul> <li>You or the beneficiary can complete the HRA before or during the<br/>AWV encounter; it should take no more than 20 minutes</li> </ul>   |
|   | <ul> <li>Consider the best way to communicate with underserved populations,<br/>persons with limited English proficiency, persons with health literacy<br/>needs, and persons with disabilities</li> </ul>   |
|   | <ul> <li>At a minimum, get information on the following topics:</li> </ul>   |
|   | <ul> <li>Demographic data</li> </ul>   |
|   | <ul> <li>Self-assessment of health status</li> </ul>   |
|   | <ul> <li>Psychosocial risks</li> </ul>   |
|   | <ul> <li>Behavioral risks</li> </ul>   |
|   | <ul> <li>Activities of Daily Living (ADLs), including but not limited to:<br/>dressing, bathing, and walking</li> </ul>  |
|   | <ul> <li>Instrumental ADLs (IADLs), including but not limited to: shopping,<br/>housekeeping, managing own medications, and handling finances</li> </ul>   |
| 2. Establish the                            | At a minimum, document the following:  |
| beneficiary's medical<br>and family history | <ul> <li>Medical events of the beneficiary's parents, siblings, and children,<br/>including conditions that may be hereditary or place the beneficiary at<br/>increased risk</li> </ul>  |
|   | • Past medical and surgical history, including experiences with illnesses, hospital stays, operations, allergies, injuries, and treatments   |
|   | <ul> <li>Use of, or exposure to, medications and supplements, including calcium and vitamins</li> </ul>  |
|   | • We encourage providers to pay close attention to opioid use during this part of the AWV, which includes opioid use disorders (OUD). If a patient is using opioids, assess the benefit for other, non-opioid pain therapies instead, even if the patient does not have OUD but is possibly at risk. |
|   | Refer to the <u>CMS Roadmap to Address the Opioid Epidemic</u> fact sheet for more information on combating opioid misuse.   |
|   | For more information about Medicare Coverage of Substance Abuse<br>Services and mental health services, refer to the MLN's Screening, Brief<br>Intervention, and Referral to Treatment (SBIRT) booklet.  |



|    | Action   | Elements  |  |
|----|--|---|--|
| 3. | Establish a list of<br>current providers<br>and suppliers  | Include current beneficiary providers and suppliers that regularly provide medical care   |  |
| 4. | Measure  | Obtain the following:   |  |
|    |  | <ul> <li>Height, weight, body mass index (BMI; or waist circumference,<br/>if appropriate), and blood pressure</li> </ul>   |  |
|    |  | <ul> <li>Other routine measurements deemed appropriate based on medical<br/>and family history</li> </ul>   |  |
| 5. | Detect any cognitive<br>impairment the<br>beneficiary may have   | Assess the beneficiary's cognitive function by direct observation, while considering information from beneficiary reports and concerns raised by family members, friends, caregivers, and others. If appropriate, use a brief validated structured cognitive assessment tool. For more information, refer to the National Institute on Aging's <u>Alzheimer's and Dementia</u> Resources for Professionals website. |  |
| 6. | Review the<br>beneficiary's potential<br>risk factors for<br>depression, including<br>current or past<br>experiences with<br>depression or other<br>mood disorders | Use any appropriate screening instrument. You may select from various available standardized screening tests designed for this purpose. For more information, refer to the <u>Depression section</u> on the Substance Abuse and Mental Health Services Administration–Health Resources and Services Administration's Screening Tools website.   |  |
| 7. | Review the<br>beneficiary's<br>functional ability and<br>level of safety   | Use direct observation of the beneficiary or select appropriate questions<br>from various available screening questionnaires, or use standardized<br>questionnaires recognized by national professional medical organizations<br>to assess, at a minimum, the following topics:   |  |
|    |  | Ability to successfully perform ADLs  |  |
|    |  | Fall risk   |  |
|    |  | Hearing impairment  |  |
|    |  | Home safety   |  |
| 8. | Establish an   | Base written screening schedule on:   |  |
|    | appropriate written<br>screening schedule<br>for the beneficiary,<br>such as a checklist   | Recommendations from the <u>United States Preventive Services Task</u><br>Force (USPSTF) and the <u>Advisory Committee on Immunization</u><br><u>Practices</u> (ACIP)   |  |
|    | for the next<br>5 to 10 years  | <ul> <li>The beneficiary's HRA, health status and screening history, and<br/>age-appropriate preventive services Medicare covers</li> </ul>   |  |



| Action  | Elements   |  |
|---|--|--|
| <ol> <li>Establish a list of<br/>beneficiary risk<br/>factors and conditions<br/>for which primary,<br/>secondary, or<br/>tertiary interventions<br/>are recommended<br/>or underway</li> </ol> | <ul> <li>Include the following:</li> <li>Mental health conditions including depression, substance use disorder, and cognitive impairment</li> <li>Risk factors or conditions identified through an IPPE</li> <li>Treatment options and their associated risks and benefits</li> </ul>                          |  |
| 10. Furnish the<br>beneficiary<br>personalized health<br>advice and<br>appropriate referrals<br>to health education or<br>preventive counseling<br>services or programs                         |  |  |
| 11. Furnish, <b>at the</b><br><b>beneficiary's</b><br><b>discretion</b> ,<br>advance care<br>planning services  | <ul> <li>Include discussion about:</li> <li>Future care decisions that may need to be made</li> <li>How the beneficiary can let others know about care preferences</li> <li>Caregiver identification</li> <li>Explanation of advance directives, which may involve the completion of standard forms</li> </ul> |  |



## SUBSEQUENT AWV COMPONENTS: APPLIES FOR ALL SUBSEQUENT AWVs AFTER A BENEFICIARY'S FIRST AWV

|    | Action   | Elements   |  |
|----|--|--|--|
| 1. | Review and   | Collect beneficiary self-reported information  |  |
|    | update HRA   | <ul> <li>You or the beneficiary can update the HRA before or during the<br/>AWV encounter; it should take no more than 20 minutes</li> </ul>   |  |
|    |  | <ul> <li>At a minimum, address the following topics:</li> </ul>  |  |
|    |  | <ul> <li>Demographic data</li> </ul>   |  |
|    |  | <ul> <li>Self-assessment of health status</li> </ul>   |  |
|    |  | <ul> <li>Psychosocial risks</li> </ul>   |  |
|    |  | <ul> <li>Behavioral risks</li> </ul>   |  |
|    |  | <ul> <li>ADLs, including but not limited to: dressing, bathing, and walking</li> </ul>   |  |
|    |  | <ul> <li>Instrumental ADLs, including but not limited to: shopping,<br/>housekeeping, managing own medications, and handling finances</li> </ul>   |  |
| 2. | Update the   | At a minimum, update and document the following:   |  |
|    | beneficiary's medical/family history                     | <ul> <li>Medical events of the beneficiary's parents, siblings, and children,<br/>including conditions that may be hereditary or place the beneficiary<br/>at increased risk</li> </ul>  |  |
|    |  | <ul> <li>Past medical and surgical history, including experiences with<br/>illnesses, hospital stays, operations, allergies, injuries, and treatments</li> </ul>   |  |
|    |  | <ul> <li>Use of, or exposure to, medications and supplements, including calcium and vitamins</li> </ul>  |  |
| 3. | Update the list of<br>current providers<br>and suppliers | Include current providers and suppliers regularly involved in providing the beneficiary medical care, including any providers and suppliers added as a result of the first AWV providing PPPS.   |  |
| 4. | Measure  | Obtain the following:  |  |
|    |  | Weight (or waist circumference, if appropriate) and blood pressure   |  |
|    |  | <ul> <li>Other routine measurements as deemed appropriate based on<br/>medical and family history</li> </ul>   |  |
| 5. | Detect any cognitive impairment the beneficiary may have | Assess the beneficiary's cognitive function by direct observation, while considering information from beneficiary reports and concerns raised by family members, friends, caregivers, or others. If appropriate, use a brief validated structured cognitive assessment tool. |  |



|    | Action  | Elements  |  |
|----|---|---|--|
|    | Update the written<br>screening schedule<br>for the beneficiary   | <ul> <li>Base written screening schedule on:</li> <li>Recommendations from the <u>USPSTF</u> and the <u>ACIP</u></li> <li>The beneficiary's HRA, health status and screening history, and age-appropriate preventive services Medicare covers</li> </ul>  |  |
| 7. | Update the<br>beneficiary's list<br>of risk factors and<br>conditions for which<br>primary, secondary, or<br>tertiary interventions<br>are recommended<br>or underway   | <ul> <li>Include the following:</li> <li>Mental health conditions including depression, substance use disorder, and cognitive impairment</li> <li>Risk factors or conditions identified</li> <li>Treatment options and their associated risks and benefits</li> </ul>   |  |
| 8. | Furnish and update,<br>as necessary, the<br>beneficiary's PPPS,<br>which includes<br>personalized<br>beneficiary health<br>advice and a referral,<br>as appropriate, to<br>health education or<br>preventive counseling<br>services or programs | <ul> <li>Include referrals to educational and counseling services or programs aimed at:</li> <li>Community-based lifestyle interventions to reduce health risks and promote self-management and wellness, including: <ul> <li>Fall prevention</li> <li>Nutrition</li> <li>Physical activity</li> <li>Tobacco-use cessation</li> <li>Weight loss</li> <li>Cognition</li> </ul> </li> </ul> |  |
| 9. | Furnish, <b>at the</b><br><b>beneficiary's</b><br><b>discretion</b> ,<br>advance care<br>planning services  | <ul> <li>Include discussion about:</li> <li>Future care decisions that may need to be made</li> <li>How the beneficiary can let others know about care preferences</li> <li>Caregiver identification</li> <li>Explanation of advance directives, which may involve the completion of standard forms</li> </ul>  |  |



# AWV CODING, DIAGNOSIS, AND BILLING

# Coding

Use the following HCPCS codes to file claims for AWVs.

#### **AWV HCPCS Codes and Descriptors**

| AWV HCPCS Codes | Billing Code Descriptors   |
|-----------------|--|
| G0438           | Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit   |
| G0439           | Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit  |
| G0468*          | Federally qualified health center (fqhc) visit, ippe or awv; a fqhc visit that includes an initial preventive physical examination (ippe) or annual wellness visit (awv) and includes a typical bundle of medicare-covered services that would be furnished per diem to a patient receiving an ippe or awv |

\* For more information on how to bill HCPCS G0468, refer to the <u>Medicare Claims Processing</u> Manual, Chapter 9, Section 60.2.

# Diagnosis

You must report a diagnosis code when submitting a claim for the AWV. Since you are not required to document a **specific** diagnosis code for the AWV, you may choose any diagnosis code consistent with the beneficiary's exam.

# Billing

Medicare Part B covers an AWV if performed by a:

- Physician (a doctor of medicine or osteopathy)
- Qualified non-physician practitioner (a physician assistant, nurse practitioner, or certified clinical nurse specialist)
- Medical professional (including a health educator, registered dietitian, nutrition professional, or other licensed practitioner), or a team of medical professionals directly supervised by a physician (doctor of medicine or osteopathy)



When you furnish a significant, separately identifiable, medically necessary Evaluation and Management (E/M) service along with the AWV, Medicare may pay for the additional service. Report the additional Current Procedural Terminology (CPT) code with modifier –25. That portion of the visit must be medically necessary to treat the beneficiary's illness or injury, or to improve the functioning of a malformed body member.

## ADVANCE CARE PLANNING (ACP) AS AN OPTIONAL ELEMENT OF AN AWV

ACP is the face-to-face conversation between a physician (or other qualified health care professional) and a beneficiary to discuss the beneficiary's wishes and preferences for medical treatment if they are unable to speak or make decisions in the future. You can provide the ACP at the time of the AWV, at the beneficiary's discretion.

# Coding

Use the following CPT codes to file claims for ACP as an optional element of an AWV.

#### ACP CPT Codes and Descriptors

| ACP CPT Codes | Billing Code Descriptors  |
|---------------|---|
| 99497         | Advance care planning including the explanation and discussion of<br>advance directives such as standard forms (with completion of such<br>forms, when performed), by the physician or other qualified health<br>care professional; first 30 minutes, face-to-face with the patient, family<br>member(s), and/or surrogate    |
| 99498         | Advance care planning including the explanation and discussion of<br>advance directives such as standard forms (with completion of such<br>forms, when performed), by the physician or other qualified health care<br>professional; each additional 30 minutes (List separately in addition to<br>code for primary procedure) |

## Diagnosis

You must report a diagnosis code when submitting a claim for ACP as an optional element of an AWV. Since you are not required to document a **specific** diagnosis code for ACP as an optional element of an AWV, you may choose any diagnosis code consistent with a beneficiary's exam.

CPT only copyright 2018 American Medical Association. All rights reserved.



# Billing

Medicare waives both the coinsurance and the Medicare Part B deductible for ACP when it is:

- Provided on the same day as the covered AWV
- Furnished by the same provider as the covered AWV
- Billed with modifier –33 (Preventive Service)
- Billed on the same claim as the AWV

Medicare waives the deductible and coinsurance for ACP once per year when billed with the AWV. If the AWV billed with ACP is denied for exceeding the once per year limit, Medicare will apply the ACP deductible and coinsurance.

**NOTE:** The deductible and coinsurance apply when ACP is provided outside the covered AWV.

**NOTE:** There are no limits on the number of times you can report ACP for a given beneficiary in a given time period. Likewise, CMS established no frequency limits. When you bill the service multiple times for a given beneficiary, document the beneficiary's changed health status and wishes regarding their end-of-life care.

#### PREPARING ELIGIBLE MEDICARE BENEFICIARIES FOR THE AWV

Providers can help eligible Medicare beneficiaries prepare for their AWV by encouraging them to bring the following information:

- Medical records, including immunization records
- A detailed family health history
- A full list of medications and supplements, including calcium and vitamins, and how often and how much of each they take
- A full list of current providers and suppliers involved in providing care, including communitybased providers (for example, personal care, adult day care, and home-delivered meals)

CPT only copyright 2018 American Medical Association. All rights reserved.



# FREQUENTLY ASKED QUESTIONS (FAQs)

## What are the other Medicare Part B preventive services?

- Alcohol Misuse Screening and Counseling
- Bone Mass Measurements
- Cardiovascular Disease Screening Test
- Colorectal Cancer Screening
- Counseling to Prevent Tobacco Use
- Depression Screening
- Diabetes Screening
- Diabetes Self-Management Training (DSMT)
- Glaucoma Screening
- Hepatitis C Virus (HCV) Screening
- Human Immunodeficiency Virus (HIV) Screening
- Influenza, Pneumococcal, and Hepatitis B Vaccinations and their Administration
- Intensive Behavioral Therapy (IBT) for Cardiovascular Disease (CVD), also known as a CVD risk reduction visit
- IBT for Obesity
- IPPE (also called the "Welcome to Medicare Preventive Visit")
- Medical Nutrition Therapy (MNT)
- Prostate Cancer Screening
- Screening for Cervical Cancer with Human Papillomavirus (HPV) Tests
- Screening for Lung Cancer with Low Dose Computed Tomography (LDCT)
- Screening for Hepatitis B Virus (HBV) Infection
- Screening for Sexually Transmitted Infections (STIs) and High Intensity Behavioral Counseling (HIBC) to Prevent STIs
- Screening Mammography
- Screening Pap Tests
- Screening Pelvic Examination (includes a clinical breast examination)
- Ultrasound Screening for Abdominal Aortic Aneurysm (AAA)

Visit the MLN's <u>Preventive Services Educational Tool</u> for additional information on each Medicare preventive service.



# Who is eligible for the AWV?

Medicare covers an AWV for all beneficiaries who are no longer within 12 months after the eligibility date for their first Medicare Part B benefit period, and who have not had either an IPPE or an AWV within the past 12 months. **Medicare pays for only one first AWV per beneficiary per lifetime and one subsequent AWV per year thereafter.** 

## Is the AWV the same as a beneficiary's yearly physical?

No. The AWV is not a routine physical that some older adults may get periodically from their physician or other qualified non-physician practitioner. **Medicare does not cover routine physical examinations.** 

## Are clinical laboratory tests part of the AWV?

No. The AWV does not include any clinical laboratory tests, but you may make appropriate referrals for such tests as part of the AWV.

## Do deductible or coinsurance/copayment apply for the AWV?

No. Medicare waives both the coinsurance or copayment and the Medicare Part B deductible for the AWV.

# Can I bill an electrocardiogram (EKG) and the AWV on the same date of service?

Generally, you may provide other medically necessary services on the same date of service as an AWV. The deductible and coinsurance or copayment apply for these other medically necessary services.

## How do I know if a beneficiary already got his/her first AWV from another provider and know whether to bill for a subsequent AWV even though this is the first AWV I provided to this beneficiary?

You have different options for accessing AWV eligibility information depending on where you practice. You may access the information through the Health Insurance Portability and Accountability Act (HIPAA) Eligibility Transaction System (HETS) or through the provider call center Interactive Voice Responses (IVRs).

CMS suggests providers check with their Medicare Administrative Contractor (MAC) for options available to verify beneficiary eligibility. Contact your MAC for more information.



# RESOURCES

The <u>Medicare Preventive Services webpage</u> lists educational products for Medicare Fee-For-Service providers and their staff about preventive services, coverage, coding, billing, payment, and claim filing procedures.

#### **AWV Resources**

| Resource   | Website   |
|--|---|
| 42 Code of Federal Regulations 410.15 (policy governing AWV service)   | eCFR.gov/cgi-bin/text-idx?SID=b88181e2130f26<br>ae6c4741f95a518bbf&mc=true&node=se42.2.41<br>0_115&rgn=div8   |
| CMS Provider Minute: Preventive Services<br>(pointers to help you submit correct<br>documentation and avoid claim denials)                                 | Youtube.com/watch?v=-tuMWM4KeZg&feature=<br>youtu.be&list=PLaV7m2-zFKpigb1UvmCh1Q2cB<br>Ki1SGk-V              |
| Medicare Benefit Policy Manual, Chapter 15   | CMS.gov/Regulations-and-Guidance/Guidance/<br>Manuals/Downloads/bp102c15.pdf                                  |
| Medicare Claims Processing Manual, Chapter 12<br>Section 30.6.1.1<br>Section 30.6.6<br>Section 100.1.1.C   | CMS.gov/Regulations-and-Guidance/Guidance/<br>Manuals/Downloads/clm104c12.pdf                                 |
| Medicare Claims Processing Manual, Chapter 18, Section 140   | CMS.gov/Regulations-and-Guidance/Guidance/<br>Manuals/Downloads/clm104c18.pdf                                 |
| Medicare Diabetes Prevention Program (MDPP)<br>Expanded Model  | Go.CMS.gov/MDPP   |
| MLN Matters® Article MM9271, Advance Care<br>Planning (ACP) as an Optional Element of an<br>Annual Wellness Visit (AWV)                                    | CMS.gov/Outreach-and-Education/Medicare-<br>Learning-Network-MLN/MLNMattersArticles/<br>Downloads/MM9271.pdf  |
| MLN Matters Article MM7079, Annual Wellness<br>Visit (AWV), Including Personalized Prevention<br>Plan Services (PPPS)                                      | CMS.gov/Outreach-and-Education/Medicare-<br>Learning-Network-MLN/MLNMattersArticles/<br>Downloads/MM7079.pdf  |
| MLN Matters Article MM10000, Billing for<br>Advance Care Planning (ACP) Claims   | CMS.gov/Outreach-and-Education/Medicare-<br>Learning-Network-MLN/MLNMattersArticles/<br>Downloads/MM10000.pdf |
| MLN Matters Article SE1338, Improve Your<br>Patients' Health with the Initial Preventive<br>Physical Examination (IPPE) and Annual<br>Wellness Visit (AWV) | CMS.gov/Outreach-and-Education/Medicare-<br>Learning-Network-MLN/MLNMattersArticles/<br>Downloads/SE1338.pdf  |



## AWV Resources (cont.)

| Resource  | Website   |
|---|---|
| MLN Matters Articles on Medicare-covered<br>Preventive Services | CMS.gov/Outreach-and-Education/Medicare-<br>Learning-Network-MLN/MLNProducts/Downloads/<br>MLNPrevArticles.pdf          |
| Preventive Services Educational Tool                            | CMS.gov/Outreach-and-Education/Medicare-<br>Learning-Network-MLN/MLNProducts/MLN-<br>Publications-Items/CMS1243319.html |
| Reducing Opioid Misuse  | CMS.gov/about-cms/story-page/reducing-opioid-<br>misuse.html  |

## Hyperlink Table

| Embedded Hyperlink  | Complete URL  |
|---|---|
| A Framework for Patient-Centered Health<br>Risk Assessments | https://www.cdc.gov/policy/hst/HRA/Framework<br>ForHRA.pdf  |
| Advisory Committee on Immunization Practices<br>ACIP        | https://www.cdc.gov/vaccines/acip   |
| Alzheimer's and Dementia Resources for Professionals        | https://www.nia.nih.gov/health/alzheimers-<br>dementia-resources-for-professionals  |
| Annual Wellness Visit                                       | https://www.ecfr.gov/cgi-bin/text-idx?SID=b8818<br>1e2130f26ae6c4741f95a518bbf&mc=true&node<br>=se42.2.410_115&rgn=div8             |
| CMS Roadmap to Address the Opioid Epidemic                  | https://www.cms.gov/About-CMS/Agency-<br>Information/Emergency/Downloads/Opioid-<br>epidemic-roadmap.pdf                            |
| Contact Your MAC  | http://go.cms.gov/MAC-website-list  |
| Depression Section  | https://www.integration.samhsa.gov/clinical-<br>practice/screening-tools#depression   |
| Initial Preventive Physical Examination                     | https://www.cms.gov/Outreach-and-Education/<br>Medicare-Learning-Network-MLN/MLNProducts/<br>MLN-Publications-Items/CMS1243320.html |



### Hyperlink Table (cont.)

| Embedded Hyperlink   | Complete URL  |
|--|---|
| Medicare Claims Processing Manual, Chapter 9                     | https://www.cms.gov/Regulations-and-Guidance/<br>Guidance/Manuals/Downloads/clm104c09.pdf   |
| Medicare Coverage of Substance Abuse Services                    | https://www.cms.gov/Outreach-and-Education/<br>Medicare-Learning-Network-MLN/MLNMatters<br>Articles/Downloads/SE1604.pdf            |
| Medicare Preventive Services Webpage                             | https://www.cms.gov/Medicare/Prevention/<br>PrevntionGenInfo  |
| Preventive Services Educational Tool                             | https://www.cms.gov/Outreach-and-Education/<br>Medicare-Learning-Network-MLN/MLNProducts/<br>MLN-Publications-Items/CMS1243319.html |
| Routine Physical Examination                                     | https://www.cms.gov/Regulations-and-Guidance/<br>Guidance/Manuals/Downloads/bp102c16.pdf  |
| Screening, Brief Intervention, and Referral to Treatment (SBIRT) | https://www.cms.gov/Outreach-and-Education/<br>Medicare-Learning-Network-MLN/MLNProducts/<br>MLN-Publications-Items/CMS1243489.html |
| United States Preventive Services Task Force<br>USPSTF           | https://www.uspreventiveservicestaskforce.org   |

Medicare Learning Network® Product Disclaimer

The Medicare Learning Network®, MLN Connects®, and MLN Matters® are registered trademarks of the U.S. Department of Health & Human Services (HHS).

