

FDA-APPROVED

neffy[®]
(epinephrine nasal spray) 2 mg

NEEDLE FREE SAME EPINEPHRINE

The *first-and-only* needle-free
epinephrine nasal spray.

Ask your doctor for
neffy today.

Not actual size



WHAT IS *neffy*?

neffy 2 mg is a nasal spray used to treat life-threatening, allergic emergencies including anaphylaxis, in adults and children who weigh 66 lbs or more (30 kg or more), who are at risk for or have a history of serious allergic emergencies.

IMPORTANT SAFETY INFORMATION

What is the most important information that I should know about *neffy*?

neffy contains epinephrine, a medicine used to treat allergic emergencies (anaphylaxis). Anaphylaxis can be life-threatening, can happen in minutes, and can be caused by stinging and biting insects, allergy injections, foods, medicines, exercise, or other unknown causes.

Please see Important Safety Information throughout and Important Facts about *neffy* on page 14.

SAME EPINEPHRINE, *new device*

- At the first sign of a reaction, get the epinephrine you need fast **without a needle.**
- *neffy* delivers the same epinephrine you'd get from a needle-injector, but it comes in a nasal spray.
- The epinephrine in *neffy* affects the body like the epinephrine in a needle-injector, including blood pressure and heart rate.



IMPORTANT SAFETY INFORMATION (cont'd)

Tell your healthcare provider if you have underlying structural or anatomical nasal conditions, all the medicines you take, and about all your medical conditions, especially if you have heart problems, kidney problems, low potassium in your blood, Parkinson's disease, thyroid problems, high blood pressure, diabetes, are pregnant or plan to become pregnant, or plan to breastfeed.

Tell your healthcare provider if you take or use other nasal sprays or water pills (diuretics) or if you take medicines to treat depression, abnormal heart beats, Parkinson's disease, heart disease, thyroid disease, medicines used in labor, and medicines to treat allergies. *neffy* and other medications may affect each other, causing side effects. *neffy* may affect the way other medicines work, and other medicines may affect how *neffy* works.

Please see Important Safety Information throughout.

neffy IS
EASY TO USE

neffy[®]
(epinephrine nasal spray) 2 mg

- Count on the *neffy* device to **rapidly and reliably deliver epinephrine**, when used as directed.
- In a study, **all 16 adults and 42 children** were able to use *neffy* successfully.



MOST COMMON SIDE EFFECTS


Side effects of neffy may include throat irritation, tingling nose, headache, nasal discomfort, feeling over excitement, nervousness or anxiety, tingling sensation, fatigue, shakiness, runny nose, itchy nose, sneezing, stomach pain, pain in gums of teeth, numbness in the mouth, nasal congestion, dizziness, nausea, and vomiting.

In clinical trials, most side effects were mild, although moderate or severe side effects are possible. See full Prescribing Information for a complete list of side effects.

Talk to your doctor before using other nasal sprays within 2 weeks of using *neffy*.

needle-free EPINEPHRINE IS HERE

- **neffy** is used to treat life-threatening, allergic emergencies including anaphylaxis, in adults and children who weigh 66 lbs or more.
- When **innovation** and **tried-and-true epinephrine** come together, you get **neffy**.
- **neffy** is a compact, ready-to-use nasal spray that delivers epinephrine fast and it fits in your pocket.
- **neffy** is designed to be easy to use and easy to carry, so treatment is close at hand.



- NEEDLE-FREE
- POCKET-SIZED
- NASAL SPRAY

Not actual size.

HOW **neffy** WORKS

- **neffy** is the only way to **deliver epinephrine in a nasal spray** for serious allergic reactions.
- The epinephrine in **neffy** is designed to be **rapidly absorbed** into the nasal passage to reverse the reaction.
- **neffy** uses Intravail[®] technology, which temporarily loosens the spaces between the nasal cells to help epinephrine be absorbed into the body.
- The nasal spray can get through stuffy noses.

*Actor portrayal.
Trademarks are property of their respective owners.*

IMPORTANT SAFETY INFORMATION (cont'd)

What is the most important information that I should know about **neffy**?

Always carry two **neffy** nasal sprays with you because you may not know when anaphylaxis may happen and because you may need a second dose of **neffy** if symptoms continue or come back. **neffy** is for use in the nose only.

Use **neffy** right away, as soon as you notice symptoms of an allergic reaction. If symptoms continue or get worse after the first dose of **neffy**, a second dose is needed. If needed, administer a second dose using a new **neffy** in the same nostril *starting 5 minutes after the first dose*. Get emergency medical help for further treatment of the allergic emergency (anaphylaxis), if needed after using **neffy**.

Please see Important Safety Information throughout.

HERE'S HOW TO USE *neffy* IN FOUR STEPS

Use *neffy* as soon as you notice symptoms of a serious allergic reaction.



1. REMOVE

Remove *neffy* from packaging.



2. HOLD

Hold device as shown.

- Do not pull or push on the plunger.
- Do not test or prime (pre-spray). Each device has only 1 spray.



3. INSERT

Insert the nozzle into a nostril until your fingers touch your nose. Keep the nozzle straight.

- Do not point (angle) the nozzle to the nasal septum (wall between your 2 nostrils) or outer wall of the nose.



4. PRESS

Press plunger up firmly until it snaps up and sprays liquid into the nostril.

- Do not sniff during or after the dose is given. If any liquid drips out of the nose, you may need to give a second dose of *neffy* after checking for symptoms.

WHEN USING *neffy*



- Each *neffy* nasal spray device has only 1 dose of medicine and is for single-use only.
- Always carry 2 *neffy* nasal spray devices with you.
- Use only in the nose. Avoid spraying in the eyes or mouth.
- Do not sniff during or after use.



- Do not angle nozzle.
- It is recommended that right-handed dosing should be to the right nostril and left-handed dosing should be to the left nostril.

6

- Patient can be in any position (e.g. sitting, standing, laying, reclining).

AFTER USING *neffy*

neffy
(epinephrine nasal spray) 2 mg



Get emergency medical help for further treatment of the allergic emergency (anaphylaxis), if needed, after using *neffy*. Tell them that a *neffy* nasal spray has been used.



Check for symptoms after the first dose of *neffy*. If symptoms get worse or come back, give a second dose of *neffy* in the SAME nostril starting 5 minutes after the first dose.

Check your *neffy* periodically to be sure the expiration date has not passed.

Replace your *neffy* before the expiration date has passed.



Before using, read the full Instructions for Use.

Scan to watch videos on how to use *neffy*.

IMPORTANT SAFETY INFORMATION (cont'd)

What are the side effects of *neffy*?

neffy may cause serious side effects. If you have certain medical conditions or take certain medicines, your condition may get worse, or you may have more or longer lasting side effects when you use *neffy*.

Side effects of *neffy* may include throat irritation, tingling nose, headache, nasal discomfort, feeling over excitement, nervousness or anxiety, tingling sensation, fatigue, shakiness, runny nose, itchy nose, sneezing, stomach pain, pain in gums of teeth, numbness in the mouth, nasal congestion, dizziness, nausea, and vomiting.

Please see Important Safety Information throughout. 7



Not actual size.

storage AND handling

- Each *single-use neffy* device contains one dose of epinephrine and comes in a blister pack.
- Your prescription comes with *two devices*, in case a second dose is needed.



Store *neffy* at room temperature between 68°F to 77°F (20°C to 25°C). Do not freeze. If *neffy* freezes, the device will not spray.

Storage of *neffy* at high temperatures up to 122°F (50° C) is allowed for a few days.



The epinephrine in *neffy* lasts for 30 months. Be sure to check the expiration date periodically and replace before the expiration date.

PLAN AHEAD WITH *neffy*


neffy[®]
(epinephrine nasal spray) 2 mg

- Complete our step-by-step *neffy Action Plan*—it can help inform others of known allergens and how to properly use *neffy* on you or your child during a serious allergic reaction.
- neffy* is used to treat life-threatening, allergic emergencies including anaphylaxis, in adults and children who weigh 66 lbs or more.



Scan to download

Actor
portrayal.



IMPORTANT SAFETY INFORMATION (cont'd)

Tell your healthcare provider if you have any side effects that bother you or that do not go away after using *neffy*.

These are not all of the possible side effects of *neffy*. Call your healthcare provider for medical advice about side effects.

To report side effects, contact ARS Pharmaceuticals Operations, Inc. at 1-877-MY-NEFFY (877-696-3339) or the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Please see Important Safety Information throughout.

Please see the full Prescribing Information and Patient Information for *neffy* in pocket.

neffyconnect

savings AND support

Explore savings[†], get answers to questions, and find helpful resources.



Not actual size.

You don't have to wait for your current epinephrine needle-injector prescription to expire to get **neffy**.



Ask your doctor for **neffy** today.

[†]neffy Co-pay Savings Program Terms and Conditions:

PATIENT ELIGIBILITY: This offer is for eligible commercially insured patients only. Offer is good only in the United States at participating pharmacies and cannot be redeemed at government-subsidized clinics. Patients are not eligible if prescriptions are paid for in part or full by any state or federally funded programs (including but not limited to Medicare, Medicaid, Medigap, VA, DOD, TRICARE) or by private health benefit programs which reimburse for the entire cost of prescription drugs. Not valid for patients who are Medicare eligible and are enrolled in an employer-sponsored health plan or prescription drug benefit program for retirees (i.e., patients who are eligible for Medicare Part D but receive a prescription drug benefit through a former employer). Offer is not extended on prescriptions for patients that are cash-paying customers or use mail-order or fill their prescriptions at a nonparticipating pharmacy. Cash Discount Cards and other non-insurance plans are not valid as primary under this offer; if the patient is eligible for drug benefits under any such program, the patient cannot use this offer. By redeeming this offer, the patient and the pharmacist acknowledge that the patient is eligible, and the patient and pharmacist understand and agree to comply with the Terms and Conditions of this offer.

COUPON OFFER: Patients pay as little as \$25 out-of-pocket for **neffy**[®]. ARS Pharmaceutical Operations, Inc. ("ARS") will pay the remaining co-payment or cost-sharing obligation per fill. Applies to out-of-pocket expenses of more than \$25 for **neffy**[®]. Out-of-pocket co-pay expenses greater than \$25 will be covered up to a maximum benefit per qualified prescription. ARS reserves the right to rescind, revoke, or amend the programs at any time without notice. This is not an insurance program. Void where taxed, restricted, or prohibited by law.

neffy Co-pay Savings Program

neffy[®]
(epinephrine nasal spray) 2 mg

- If you have commercial insurance, you may qualify for help with paying deductibles, co-pays, and co-insurance for each **neffy** prescription.
- To download the co-pay card, scan the QR code or visit **neffy.com**.



Actor portrayal.

Pay as little as \$25, if eligible*



ARS Patient Assistance Program[‡]

- If you are uninsured—or if you are insured and you do not have any government or commercial drug coverage for **neffy**—and need help paying for **neffy**, you may be able to receive **neffy** at no cost through the Patient Assistance Program.

[†]Terms and Conditions apply to each financial assistance program. See below.

[‡]ARS Patient Assistance Program Terms and Conditions:

ARS Pharmaceutical Operations, Inc. (ARS) provides medically necessary **neffy** free of charge to qualifying applicants through its Patient Assistance Program ("PAP" or "Program"). Submission of a complete application does not guarantee enrollment into the Program. Each application will be considered on a case-by-case basis.

ELIGIBILITY REQUIREMENTS: You may qualify if (1) You have a valid prescription for **neffy**; (2) You are a legal resident of the United States, Puerto Rico or the U.S. Virgin Islands; (3) You are uninsured or, if insured, you do not have any government or commercial drug coverage^{††} for **neffy**; and (4) You have an annual household adjusted gross income[§] of less than 250% of federal poverty level (for federal poverty levels, visit aspe.hhs.gov/topics/poverty-economic-mobility/poverty-guidelines).

^{††}Your commercial or government-funded insurance plan recently denied a coverage request (i.e., PA or appeal) for **neffy**.

[§]Annual household adjusted gross income is the annual gross income from all earners in the household (including wages, Social Security, Social Security disability, unemployment, pensions, and other income) minus eligible adjustments to income.

- **Prescriptions and Delivery** with BlinkRx
- Provides streamlined help with insurance questions or potential coverage barriers.
- Finds you affordable pricing based on your eligibility and insurance plan.*
- Provides free at-home delivery.
- Sends you timely reminders to refill **neffy** before it expires.

If you prefer, **neffy** is available at the pharmacy of your choice. Ask your doctor to send your prescription to your pharmacy.

*See **neffy** Co-pay Savings Program. Term and Conditions on previous page.

Visit www.neffy.com/savings to enroll in **neffyconnect** and get helpful resources and tools delivered to your email.

What is **neffy**?

neffy 2 mg is a nasal spray used to treat life-threatening, allergic emergencies including anaphylaxis, in adults and children who weigh 66 lbs or more (30 kg or more), who are at risk for or have a history of serious allergic emergencies.

IMPORTANT SAFETY INFORMATION

What is the most important information that I should know about **neffy**?

neffy contains epinephrine, a medicine used to treat allergic emergencies (anaphylaxis). Anaphylaxis can be life-threatening, can happen in minutes, and can be caused by stinging and biting insects, allergy injections, foods, medicines, exercise, or other unknown causes.

Please see Important Safety Information throughout.

READY TO ASK FOR THE FIRST-AND-ONLY **needle-free epinephrine?**

Have a productive conversation
with your doctor about **neffy**.



Actor portrayal.



Scan to create your
doctor discussion guide

IMPORTANT FACTS ABOUT *neffy*


(epinephrine nasal spray) 2 mg

This is only a summary of important information about *neffy* and does not replace talking to your healthcare provider. To learn more about *neffy* talk with your healthcare provider. Please see Instructions for Use, Important Safety Information, and Full Prescribing Information at www.neffy.com before use.

WHAT IS *neffy*?

neffy 2 mg is a nasal spray used to treat life-threatening, allergic emergencies including anaphylaxis, in adults and children who weigh 66 lbs or more (30 kg or more), who are at risk for or have a history of serious allergic emergencies.

WHAT IS THE MOST IMPORTANT INFORMATION I SHOULD KNOW ABOUT *neffy*?

neffy contains epinephrine, a medicine used to treat allergic emergencies (anaphylaxis). Anaphylaxis can be life-threatening, can happen in minutes, and can be caused by stinging and biting insects, allergy injections, foods, medicines, exercise, or other unknown causes.

Always carry two *neffy* nasal sprays with you because you may not know when anaphylaxis may happen and because you may need a second dose of *neffy* if symptoms continue or come back. *neffy* is for use in the nose only.

Use *neffy* right away, as soon as you notice symptoms of an allergic reaction. If symptoms continue or get worse after the first dose of *neffy*, a second dose is needed. If needed, administer a second dose using a new *neffy* in the same nostril *starting 5 minutes after the first dose*. Get emergency medical help for further treatment of the allergic emergency (anaphylaxis), if needed after using *neffy*.

BEFORE USING *neffy*

Tell your healthcare provider if you have underlying structural or anatomical nasal conditions, all the medicines you take, and about all your medical conditions, especially if you have heart problems, kidney problems, low potassium in your blood, Parkinson's disease, thyroid problems, high blood pressure, diabetes, are pregnant or plan to become pregnant, or plan to breastfeed.

Tell your healthcare provider if you take or use other nasal sprays or water pills (diuretics) or if you take medicines to treat depression, abnormal heart beats, Parkinson's disease, heart disease, thyroid disease, medicines used in labor, and medicines to treat allergies. *neffy* and other medications may affect each other, causing side effects. *neffy* may affect the way other medicines work, and other medicines may affect how *neffy* works.

WHAT ARE THE SIDE EFFECTS OF *neffy*?

neffy may cause serious side effects. If you have certain medical conditions or take certain medicines, your condition may get worse, or you may have more or longer lasting side effects when you use *neffy*.

Side effects of *neffy* may include throat irritation, tingling nose, headache, nasal discomfort, feeling over excitement, nervousness or anxiety, tingling sensation, fatigue, shakiness, runny nose, itchy nose, sneezing, stomach pain, pain in gums of teeth, numbness in the mouth, nasal congestion, dizziness, nausea, and vomiting.

Tell your healthcare provider if you have any side effects that bother you or that do not go away after using *neffy*.

These are not all of the possible side effects of *neffy*. Call your healthcare provider for medical advice about side effects. To report side effects, contact ARS Pharmaceuticals Operations, Inc. at **1-877-MY-NEFFY (877-696-3339)** or the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Please see the full Prescribing Information and Patient Information for *neffy* in pocket.

GET MORE INFORMATION

Talk to your healthcare provider or pharmacist. Go to www.neffy.com, or call 1-888-447-0045, where you can also get FDA-approved labeling.

neffy[®]
(epinephrine nasal spray) 2 mg



Not actual size.

**BE
neffy
READY**

- NEEDLE-FREE
- POCKET-SIZED
- NASAL SPRAY

Ask your doctor for **neffy** today.
Learn more at www.neffy.com



WHAT IS **neffy**?

neffy 2 mg is a nasal spray used to treat life-threatening, allergic emergencies including anaphylaxis, in adults and children who weigh 66 lbs or more (30 kg or more), who are at risk for or have a history of serious allergic emergencies.

IMPORTANT SAFETY INFORMATION

What is the most important information that I should know about **neffy?**

neffy contains epinephrine, a medicine used to treat allergic emergencies (anaphylaxis). Anaphylaxis can be life-threatening, can happen in minutes, and can be caused by stinging and biting insects, allergy injections, foods, medicines, exercise, or other unknown causes.

**Please see Important Safety Information throughout.
Please see the full Prescribing Information and Patient Information for **neffy** in pocket.**

©2024 ARS Pharmaceuticals Operations, Inc. All rights reserved.
"ARS Pharma," the ARS Pharma logo design, "**neffy**," the **neffy** logo, and the **neffyconnect** logo are trademarks or registered trademarks of ARS Pharmaceuticals Operations, Inc.
NEF-US-0036 | 08/2024

